

Overview

These heated Grab & Go display units have additional feet for Counter Top mounting. LED illumination for increased food presentation. Heated models use a duplex tangential fan heating module. Providing a constant free flowing laminar of warm air recirculating through the cabinet. The warm air flow curtain also acts as an invisible protective barrier to fly's and pests. With accurate digital control, these hot air stream display units are designed to maintain pre-heated, cooked food at a regulated temperature. Suitable for the display of a variety of hot snacks, soup and noodle pot meals etc. Complete with adjustable height and angle shelving. Additionally, a handy food bag/tongs holder box is fitted to the front for easy service.



D2GH

Features:

- Feet allow the option for table-top mounting
- Very fast heat up and recovery time
- Digital thermostat and controls housed conveniently within the cabinet hood for easy access
- Hot Display models use unique free-flow Tangential fan, supplying a clean laminar air flow
- Low maintenance, easy to clean, and highly efficient with recirculating hot air.
- Smooth sliding doors allow for easy loading
- Adjustable shelving is removable for easy cleaning
- 24-hour operation
- Self-contained unit. Electrics are integral no awkward fitting under counter control boxes.



D1GH rear view



D2GH rear view

Counter Top Flush Fit Cut Out Dimensions

Size 1 :- 656mm x 666mm x 25mm

Size 2 :- 836mm x 666mm x 25mm


Size 3 :- 1164mm x 666mm x 25mm

Counter Support Cut Out Dimensions

Size 1 :- 632mm x 642mm

Size 2 :- 812mm x 642mm

Size 3 :- 1140mm x 642mm



	Model	Weight (kg)	L x W (mm)	Height above Display top	No. Of Shelves	LED Roll Lighting	Electrical Supply	Power Rating (kw)
1. Curved Glass Open Front	D1GH	46	650 x 660	750	3	Yes	13amp	2.8
	D2GH	66	830 x 660	750	3	Yes	13amp	2.5
	D3GH	87	1158 x 660	750	3	Yes	13amp	2.5
2. Curved Glass Closed Front	D1GHF	56	650 x 660	750	3	Yes	13amp	2.8
	D2GHF	74	830 x 660	750	3	Yes	13amp	2.5
	D3GHF	97	1158 x 660	750	3	Yes	13amp	2.5
3. Curved Glass Front Control (back to wall)	D1GHSB	46	650 x 660	750	3	Yes	13amp	2.8
	D2GHSB	60	830 x 660	750	3	Yes	13amp	2.5
	D3GHSB	81	1158 x 660	750	3	Yes	13amp	2.5
4. Square Glass Open Front	D1GHSL	56	650 x 660	750	3	Yes	13amp	2.8
	D2GHSL	68	830 x 660	750	3	Yes	13amp	2.5
	D3GHSL	90	1158 x 660	750	3	Yes	13amp	2.5
5. Square Glass Closed Front	D1GHSLF	56	650 x 660	750	3	Yes	13amp	2.8
	D2GHSLF	68	830 x 660	750	3	Yes	13amp	2.5
	D3GHSLF	90	1158 x 660	750	3	Yes	13amp	2.5
6. Square Glass Front Control (back to wall)	D1GHSLSB	46	650 x 660	750	3	Yes	13amp	2.8
	D2GHSLSB	62	830 x 660	750	3	Yes	13amp	2.5
	D3GHSLSB	84	1158 x 660	750	3	Yes	13amp	2.5

