

## vgen: model V2GGENG

#### Overview

#### Cook & Serve

Designed specifically for the education sector where simplicity and easy to use is key. Cooking/regeneration and serving of fresh, chilled or frozen bulk food. This unit allows cook & serve at the point of consumption. Useful for multi-food portioning and multi-food choice. Double oven capacity with unique multi-fan air re- circulation system allows fast and even heat distribution throughout. Complete with an accurately controlled, illuminated self-regulating hot-top.

Designed for GN1/1 type pans, each oven has eight shelves supplied as standard. The ovens have a bright, polished, stainless steel interior, complete with heavy duty hinged doors and slam shut lockable door catches.



### **Operating modes:**

- Cook & Serve Use in the same manner as a traditional convection oven
- Cook Chilled Regeneration of chilled bulk food [0°C to 8°C optimum 5°C] to above 82°C
- Cook Frozen Regeneration of frozen bulk food [-6°C to -25°C optimum -18°C] to above 82°C
- Keep Hot Holding hot bulk food above 63°C, compartment controlled at 90°C
- Serve Hot Hot-top serving area controlled at 90°C

### **Key Features:**

- 1/1 GN compatible. Simple to transfer to serving equipment or load from other kitchen appliances
- One-piece, neo-ceram, thermo-panel hot top
- Steam evac & oven door air curtains.
- Digital timer and thermostats guarantee precise time and temperature control.
- Simply rotary controls, temperature and count down timer display,
- with an audible buzzer indicating when food is ready. Multi fans deliver even heating across the entire oven chamber,
- ensuring no cool spots and consistent cooking results. Designed for bulk production, with 8 shelf capacity in each oven
- (shelf pitch is 71mm)
- Each compartment supplied with removable shelf hangers
- Wide choice of coloured front & end panels (standard colour is Goose Wing Grey)
- Lift-up hob for easy servicing, Lockable doors open out 270°,
- 4 x precision castors, 2 swivel with brakes and 2 fixed

#### **Benefits:**

- Complete with 2m long cable and plug, as standard
- Easy to use
- Automatic Keep hot
- Simply rotary controls, with digital display.
- Easily manoeuvrable, lightweight & compact design.
- high capacity in a small foot print



# vgen: model V2GGENG



### **Accessories:**

- Fold-down end shelves or optional, recessed end shelf with flip-out waste bag holder
- Fold-down front tray-slide with 3 apertures for cutlery holders
- Gastronorm containers & additional grid shelves
- Tow bar attachment & hitch
- Cassette system in place of the standard shelf hangers with heat retention cover & dolly for transportation

(usable space totals 98 litres)
325 mm
530 mm

Depth/Length
Pitch (per shelf)

Width

Right-Hand Oven Capacity (usable space totals 98 litres)

325 mm 530 mm

71 mm

8 Grid Shelf Positions (8 Supplied)

**Hot-Top Capacity** 

(per area)

575 mm 550 mm

n/a

2 Hot-Top Areas

### **Electrical Speci ication:**

Model: V2GGENG13 Model: V2GGENG16

71 mm


**Left-Hand Oven Capacity** 

8 Grid Shelf Positions (8 Supplied)

**Rating -** 5.4 kw 2 x 13amp single phase or 1 x 32amp single phase

Rating - 9.0 kw 16amp three phase

or 32amp three phase



Weight of Unit: 140 kg









