

Moffat Specification

Bainmarie well "wet or dry"

Can Be used dry heat or wet heat using hot water and steam. The open bath is designed to hold Gastronorm pans and heats via solid state elements fitted externally on the base of the bath, additional excess residual hot air from the hot cupboard is also used to maintain temperature which gives energy saving efficiency.

Dry Heat

Fan Assisted Hotcupboard

Power Rating

3.18kw

Complete with a 2m long cord set Removable Fan heating System Sahara Fan Model SF315

Materials

1.2mm 304 Grade St/ Steel Top & Supports
0.7mm 430 Grade St/ Steel Internal Structure
GN 1/1 Grid Shelves with 30mm x 30mm tube supports

Dimensions

Width - 1275mm Depth - 700mm

Height - 900mm

Weight - 81kg

Capacity of Hot Cupboard [usable inside space]

Width - 1023mm Depth - 559mm

Usable Height Bottom shelf - 210mm

Usable Height Top Shelf - 195mm

35 covers & meals [10" plated meals stacked using plate covers]

133 off 10" plates stacked for heating

or

6 off 1/1GN pans side by side 150mm deep 3 on top 3 on bottom

ALL SHEET METAL DIMENSIONS ARE 1/S (INSIDE SIZES) (UNLESS OTHERWISE STATED)				ALL DIMENSIONS IN (IIII)	1), TOLERANCE = LINEAR \pm 0.311111, ANGULAR \pm 0.	SIIIIII (OK AS STATED). ALL SHARP EDGES	TO BE REMOVED FROM	SHEET METAL PARTS
Product	COUNTERS			Product No		No reproduction or publication of this drawing may be made, and no article may be manufactured		
Description	CHB2HT1-8					or assembled in accordance with this drawing without prior written consent. This prohibition is a term of any contract relating to this drawing. Rights reserved	\MOFFAT/	FAT/
Material/Finish		Thickness		Desp/Date		under the Copyright Act 1956 as ammended by the Design Copyright Act 1968.		

Legacy P/N Weight 81kg Quote No. Dwg No. CTRP-139921-1 Issue Client N/A Drawn By ABB SO Number 28/06/2021 Client Project Approved By Date E & R MOFFAT LTD, SEABEGS ROAD, BONNYBRIDGE, FK4 2BS, T: +44 (0)1324 812272, E: sales@ermoffat.co.uk, Web: www.ermoffat.co.uk Scale 1:20 Sheet 1/2 Α4