

# The under slung compressor must have an unrestricted air flow.

Proper venting must be provided ensuring cool air from the room can be drawn

Do not install unit in draughty conditions where the air movement is greater than 0.2mtr/sec. e.g.near entrance/exit doors, open windows, under air conditioning units or a ceiling mounted fan Do not install units where there is high radiated heat, e.g. direct sunlight, room heaters, or bright spot lights.

### **Moffat Specification**

Chilled display with forced air refrigeration and self evaporation condensate system.

## Dimensions

Width - 947mm

Depth - 700mm (800mm with air flow spacer)

Height - 1440mm (900mm to work top)

Weight - 105kg

Well - 655mm x 495mm x 130mm

Shelves - 724mm x 285mm

#### Power Rating

1.5kw

complete with a 2m long cord set & 13amp plug

## **Materials**

0.7mm 430 Grade St/Steel Gantry Hood

1.2mm 304 Grade St/ Steel Top & Supports

1.2mm 430 Grade St Steel Ancillary Parts

#### Gantry options

have LED Illumination and 6mm Tempered Glass

ALL SHEET METAL DIMENSIONS ARE I/S (INSIDE SIZES) (UNLESS OTHERWISE STATED)  ALL DIMENSIONS IN (mm), TOLERANCE = LINEAR ± 0.5mm, ANGULAR ± 0.5						$R \pm 0.5$ mm (OR AS STATED	0.5mm (OR AS STATED). ALL SHARP EDGES TO BE REMOVED FROM SHEET METAL PARTS				
Product	COUNTERS			Product No		may be made, and no	No reproduction or publication of this drawing may be made, and no article may be manufactured				
Description	CRD2LSLFC-7						or assembled in accordance with this drawing without prior written consent. This prohibition is a term of any contract relating to this drawing. Rights reserved				
Material/Finish	Т	hickness		Desp/Date			t 1956 as ammended by the syright Act 1968.				
Legacy P/N		Weight	105kg	Quote No.		Dwg No.	CTRP-124309-1		Issue		
Client				SO Number	N/A	Drawn By	Al	3B	<u> </u>		
Client Project				Approved By		Date	28/06	/2021		_	
E & R MOFFAT LTD, SEABEGS ROAD, BONNYBRIDGE, FK4 2BS, T: +44 (0)1324 812272, E: sales@ermoffat.co.uk, Web: www.ermoffat.co.uk							1:20	Sheet	1/2	A4	