



Important Design Parameters

Allowances must be made for air venting.
 The under slung compressor must have an unrestricted air flow.
 Vents must not be blocked, cool air from the room is drawn in through the front condensing coil and out the rear

Warning

Do not install unit in draughty conditions where the air movement is greater than 0.2mtr/sec.
 e.g. near entrance/exit doors, open windows, under air conditioning units or a ceiling mounted fan
 Do not install units where there is high radiated heat, e.g. direct sunlight, room heaters, or bright spot lights.
 Ambient room conditions must not exceed 25°C or a relative humidity of 60%.
 Blocked vents will cause reduced refrigeration efficiency and lead to malfunction



Moffat Specification

Dimensions

Width - 600mm
 Depth - 650mm (750mm)
 Height - 1858mm
 Weight - 130kg

Capacity

4 shelves & bottom deck = 0.17m3 or 170 liters

Power Rating

1.5kw
 complete with a 2m long cord set & 13amp plug

Materials

0.7mm 430 Grade St/Steel inner panels
 1.2mm 304 Grade St/ Steel structure
 1.2mm 430 Grade St Steel Ancillary Parts
 Double Glazed Tempered Glass
 LED Illumination

ALL SHEET METAL DIMENSIONS ARE I/S (INSIDE SIZES) (UNLESS OTHERWISE STATED)

ALL DIMENSIONS IN (mm), TOLERANCE = LINEAR ± 0.5mm, ANGULAR ± 0.5mm (OR AS STATED). ALL SHARP EDGES TO BE REMOVED FROM SHEET METAL PARTS

Product	MERCHANDISER			Product No	N/A			No reproduction or publication of this drawing may be made, and no article may be manufactured or assembled in accordance with this drawing without prior written consent. This prohibition is a term of any contract relating to this drawing. Rights reserved under the Copyright Act 1956 as amended by the Design Copyright Act 1968.				
Description	GO14C			Desp/Date								
Material/Finish	Thickness			Quote No.				Dwg No.	VCP-138489-1	Issue		
Legacy P/N	Weight	130kg		SO Number	N/A			Drawn By	ABB		-	
Client				Approved By				Date	01/10/2021			
Client Project				Scale	1 : 20		Sheet	1 / 4		A4		