

Moffat Specification

Bainmarie well

Dry heat

The open top with raised lip is designed to hold Gastronorm pans and heats via a solid state element fitted internally below the pans, additional excess residual hot air from the hot cupboard is also used to maintain temperature which gives energy saving efficiency.

Dry Heat

Fan Assisted Hotcupboard

-Dimensions

Width - 1814mm

Depth - 680mm

Height - 900mm

Weight - 112kg



Sahara Fan Model SF309

Capacity of Bainmarie

Five GN1/1 pans up to 150mm deep [Note:-pans are not supplied, available at extra cost]

Capacity of Hot Cupboard [usable inside space]

Width - 1679mm

Depth - 555mm

Usable Height Bottom shelf - 204mm Usable Height Top Shelf - 245mm

60 covers & meals

[10" plated meals stacked using plate covers]

228 off 10" plates stacked for heating

10 off 1/1GN pans side by side 150mm deep 5 on top 5 on bottom

Power Rating

1.90kw with no gantry, 2.78Kw with heated gantry. complete with a 2m long cord set & 13amp plug Removable Fan heating System Sahara Fan Model SF309

Materials

1.2mm 304 Grade St/ Steel Top & Supports 0.7mm 430 Grade St/ Steel Internal Structure GN 1/1 Grid Shelves with 30mm x 30mm tube supports

Installation

All swivel castors, two braked

Product	VERSICARTE			Product No	N/A		No reproduction or publication of this drawing may be made, and no article may be manufactured or assembled in accordance with this drawing		MOFFAT	
Description	*** VC5BM *** Curved Glass Options						without prior written consent. This prohibition is a term of any contract relating to this drawing. Rights reserved		The Catering Equipment	
Material/Finish		Thickness		Desp/Date			: 1956 as ammended by the yright Act 1968.		Company	
Legacy P/N		Weight	112kg	Quote No.		Dwg No.	VCP-060272		Issue	
Client				SO Number	STANDARD	Drawn By	Al	3B		_
Client Project	Approved By					Date	28/10/2019		<u> </u>	
E & R MOFFAT LTD, SEABEGS ROAD, BONNYBRIDGE, FK4 2BS, T: +44 (0)1324 812272, E: sales@ermoffat.co.uk, Web: www.ermoffat.co.uk							1:20	Sheet	1/2	A4